Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	reorganiz$5 and (jean near2 corrielus).xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:26
L2	0	reorganiz$5 and (jean near2 hommers).xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:09
L3	24	reorganiz$5 and (jean near2 homere). xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:09
L4	24	reorganiz$5 and (jean near2 homere). xp. and log$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:12
L5	23	reorganiz$5 and (jean near2 homere). xp. and (log$4 or journal$3) and (updat$3 or modif$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:12
L6	16	reorganiz$5 and (jean near2 corrielus).xp. and (log$4 or journal$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:36
L7	62	reorganiz$5 same (log$4 or journal$3) same (merg$3 or replac$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:37
L8	26	7 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 12:36
L9	0	reorganiz$5 same (log$4 or journal$3) same (updat$3 with organiz$5 with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:43
L10	162	(reorganiz$5 or restructur$4) same (log$4 or journal$3) same updat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB ·	OR	OFF	2005/11/10 12:38

L11	38	(log$4 or journal$3) same (updat$3 with (reorganiz$3 or restructur$4) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:37
L12	0	(log$4 or journal$3) same (updat$3 with (reorganiz$3 or restructur$4) with data) same (recover$3 or restor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:04
L13	2	11 and (second$1 near2 log$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:07
L14	2	11 and ((second$1 or multiple) near2 log$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:09
L15	37061	(log$4 or journal$3) same (restor$3 or recover$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:39
L16	54	(log$4 or journal$3) same (restor$3 or recover$3) same reorganiz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:41
L17	8	16 and (first near2 log$4) and (second near2 log$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:40
L18	628	(log$4 or journal$3) same (restor$3 or recover$3) same (second near2 log$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:41
L19	4	(log$4 or journal$3) same (restor$3 or recover$3) same (second near2 log$4) same organiz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:42
L20	628	(log$4 or journal$3) same (restor$3 or recover$3) same (second near2 log$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:44

L21	723	reorganiz$5 same (log$4 or journal$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:43
L22	4	20 and 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:43
L23	29	(log$4 or journal$3) same (restor$3 or recover$3) same ((reorganiz$5 or restructur$3) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:51
L24	389	(updat$3 or modif$5) same (multiple with log$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:51
L25	2	(updat$3 or modif$5) same (multiple with log$1) same reorganiz$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:52
L26	52	(updat$3 or modif$5) same (multiple with log$1) same (recover$3 or restor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:52
L27	35	26 and "707"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:52